

# INDEX MAPS.

## T.7N R.1W 2<sup>nd</sup> Mer.

	201		200		200		200		199		199	
203	6	221	5	218	4	214	3	210	2	207	1	196
	222		221		217		214		210		206	
202	7	201	8	217	9	213	10	210	11	206	12	196
	222		220		217		213		209		206	
202	18	220	17	217	16	213	15	209	14	205	13	196
	223		220		216		212		209		205	
201	19	219	20	216	21	212	22	208	23	205	24	195
	223		219		215		212		208		204	
201	30	219	29	215	28	211	27	208	26	204	25	195
	223		218		215		211		207		204	
201	31	218	32	214	33	211	34	207	35	203	36	195
	199		198		198		198		197		197	

## T.8N R.1W 2<sup>nd</sup> Mer.

	231		230		230		230		229		229	
233	6	250	5	247	4	243	3	240	2	236	1	229
	250		250		247		243		239		236	
232	7	250	8	246	9	243	10	239	11	236	12	228
	251		250		246		242		239		235	
232	18	250	17	246	16	242	15	238	14	235	13	228
	251		249		245		242		238		235	
232	19	249	20	245	21	241	22	238	23	234	24	227
	251		249		245		241		237		234	
231	30	248	29	244	28	240	27	237	26	234	25	227
	252		248		244		240		237		233	
231	31	247	32	244	33	240	34	237	35	233	36	226
	226		226		226		225		225		225	

The figures on the lines refer to the page.

Township N<sup>o</sup> 8 North of Range N<sup>o</sup> 1 W. 2<sup>nd</sup> Mer. Ind.  
Ch. lks South Boundary.

April 2<sup>nd</sup> 1811.

West From the cor of Towne 718 R. 31 E 11 W. 2<sup>nd</sup> Mer. South side of sec 36. T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W.

40.00 Set a post for the cor to 1/4 sec. from which a W. Oak 10 in. dia bears N 83 W. 30 links dist; & a 10 in. 18 in. - - N 83 E. 19 in. - -

42.00 To a Brook 8 links wide; course S. E.

80.00 Set a post for the cor to sec. 35. 136 T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W. from which a Hewitt 3 in dia bears N 62 E. 3 links dist; & a W. Oak 20 in. - - N 30 W 18 in. - - Per Hilby Oak, lands:

West On the South bounds of sec 35. T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W.

39.00 To a Brook 25 links wide; course South.

40.00 Set a post for the cor. to 1/4 sec. from which a Butternut 6 in. dia bears N 50 W 10 links dist; & a W. Buck 3 in. - - S 59 E 14 in. - -

80.00 Set a post for the cor. to sec. 34 & 35 T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W. from which a Buck 5 in dia bears N 72 W. 11 links dist; and a Hewitt 11 in. - - S 4 E 21 in. - - Lands including from; Timber Buck. Sugar &c.

West On the South Boundary of Sec. 34 T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W.

13.50 To a Brook 8 links wide; course N. E.

40.00 Set a post for the cor. to 1/4 sec. from which a Sugar 14 in. dia bears N 31 E. 10 links dist; & a Buck 4 in. - - S 45 W 25 in. - -

80.00 Set a post for the cor. to sec. 33 & 34 T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W. from which a Sugar 18 in. dia bears N 35 W. 27 links dist; & a Buck 10 in. - - S 28 E 5 in. - - Lands same as the last mile

T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 177. 2<sup>nd</sup> Mer. (Ind.)

- West On the South Boundary of sec 33 T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 177.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Hick<sup>y</sup> 8 in. dia bears N 42<sup>W</sup> 12<sup>W</sup> 12<sup>W</sup> (dist); & a  
 Buck 9 in ~ ~ S 44<sup>E</sup> 26 in ~ ~  
 57.50 To a Brook 10 links wide; Course South.  
 80.00 Set a post for the cor. to sec. 32, 33. T. N<sup>o</sup> 8 N.  
 R. N<sup>o</sup> 177. from which a Buck 14 in. dia bears  
 N 80<sup>E</sup> 7 links dist; & a Sugar 10 in ~ ~  
 S 45<sup>W</sup> 20 in ~ ~ Sand Spr; Timber,  
 Buck, W. Oak, Hick<sup>y</sup> &c

- West On the South Boundary of sec. 32, T. N<sup>o</sup> 8. N. R. N<sup>o</sup> 177.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Hick<sup>y</sup> 13 in. dia bears N 54<sup>E</sup> 6 links dist; & a  
 Log. mode 4 in ~ ~ S 27<sup>W</sup> 23 in ~ ~  
 66.50 To a Brook 8 links wide; Course South.  
 80.00 Set a post for the cor. to sec. 31. & 32. T. N<sup>o</sup> 8 N.  
 R. N<sup>o</sup> 177. from which a Buck 4 in. dia bears  
 S 70<sup>E</sup> 12 links dist; & a Buck 4 in ~ ~  
 West 13 in ~ ~; Buck lands; poor.

- West On the South Boundary of sec. 31. T. N<sup>o</sup> 8 N.  
 R. N<sup>o</sup> 177.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Sugar 6 in. dia bears N 52<sup>E</sup> 3 links dist; & a  
 Do 4 in ~ ~ S 65<sup>W</sup> 16 in ~ ~  
 56.50 To a Brook 75 links wide; Course S. E.  
 80.00 Set a temp<sup>y</sup> post for the cor. to Town 7 & 8  
 N. R. 112. W. Land rich and level; Timber.  
 Sugar, Ash, Walnut;

East Boundary. 2<sup>nd</sup> Meridian  
 North On the 2<sup>nd</sup> Mer. East Boundary of sec. 36. T. N<sup>o</sup> 8 N.  
 R. N<sup>o</sup> 177.

T. N. 8 N. R. No 177. 2<sup>nd</sup> Mer (S. a.)

- 15.00 To a Brook 4 miles wide; course E.  
 25.00 " " " 4 " " " E.  
 40.00 Set a post for the cor to 14 sec. from which a  
 Buck 24 in. dia bears N 38 E. 12 miles dist; & a  
 Ironworks 9 " " S 38 W 22 " "  
 65.00 To a Brook 4 miles wide course E.  
 70.00 " " " 21 " " " S. E.  
 80.00 Set a post for the cor to sec. 25 136. T. N. 8 N.  
 R. N. 177. from which a Sugar 12 in. dia bears  
 S 78 W. 25 miles dist; & a Lycopodium 36 " "  
 N 87 E. 25 " " Lando Wilby; Timber Lake

North On the 2<sup>nd</sup> Mer. East side of sec. 25. T. N. 8 N. R.  
 N. 177

- 100 To a Brook 40 miles wide; course S. W.  
 15.00 " " " " " " " S. E.  
 35.00 " " " " " " " S. W.  
 40.00 Set a post for the cor to 14 sec. in a Brook from  
 which a Sugar 16 in. dia bears East 15 the dist;  
 up the Brook to the West.  
 45.00 To a Brook 6 miles wide; course S. W.  
 80.00 Set a post at the cor for sec. 24 & 25 T. N. 8 N.  
 R. N. 177 from which a Sugar 10 in. dia bears  
 N 50 E. 16 miles dist; & a Dogwood 4 " "  
 S 76 W. 23 " " Bottom lands; Timber  
 Sugar, Buck, Elm, &c

North On the 2<sup>nd</sup> Mer. East side of sec. 24 T. N. 8 N.  
 R. N. 177.

- 15.00 To a Brook 6 miles wide; course S. W.  
 40.00 Set a post for the cor. to 14 sec. from which a  
 W. Oak 24 in. dia bears S 82 W. 6 miles dist; & a  
 Maple 8 " " " S 78 E. 5 " "  
 50.00 To a Brook 6 miles wide; course S. W.  
 51.30 " " Sugar 16 in. dia stands in the river.  
 55.00 To a Brook - 1/2 mile wide; course S. E.



T. No. 8 N.W. No. 17. 2<sup>nd</sup> Mer. (Ind.)

Kept up the Brook to the cor. then left it to the West

- 80.00 Set a post for the cor. to Sec 13 & 24 T. No. 8 N. W. No. 17. From which a Buck 18 in. dia bears N 53 E. 16 links north; & a Sugar 18 in. dia bears S 58 W 33 in. - Second set of mile marker. Thence a Buck, Sugar, &c; 2<sup>nd</sup> set of mile marker. Thence.

North On the 2<sup>nd</sup> Mer. East Boundary of Sec 13 T. No. 8 N.W. No. 17.

- 40.00 Set a post for the cor. to Sec 14. From which a Buck 8 in. dia bears S 74 W. 9 links north; & a W. Oak 12 in. - S 39 E 23 in. -

69.75 To a Sugar 15 in. dia stands in the line.

- 80.00 Set a post for the cor. to Sec 12 & 13 T. No. 8 N. W. No. 17. From which a Buck 12 in. dia bears N 20 E. 31 links north; & a Sugar 24 in. - S 2 E. 60 in. - Second Sugar stands;

North On the 2<sup>nd</sup> Mer. East Boundary of Sec. 12, T. No. 8 N.W. No. 17.

- 15.00 To a Spruce 30 in. dia stands in the line

35.00 " " Buck 3 links north; Course E.

- 40.00 Set a post for the cor. to Sec 11. From which a W. Oak 36 in. dia bears N 10 E 12 links north; & a Sugar 6 in. - S 62 E. 21 in. -

- 45.00 To a Buck 3 links north; Course E.

60.00 " " " 3 in. - " " E.

- 72.50 To a Sugar 14 in. dia stands in the line.

78.00 " " Buck 6 links north; Course E.

- 80.00 Set a post for the cor. to Sec. 1 & 2 T. No. 8 N.W. No. 17. From which a Sugar 8 in. dia bears S 13 E. 6 links north; and a Buck 12 in. - N 16 W 26 in. - Union lands; Thence a Sugar a Buck & Oak;

T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 17. 2nd Mer. (Ind.)

North On the 2nd Mer. East Boundary of T. N<sup>o</sup> 8 N.R.  
N. N<sup>o</sup> 17.

26.40 To a Sugar 15 in. dia. Stands in the line.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Sug 8 in. dia. base S 64 W. 25 links dist; & a  
Post 15 in. - - - N 64 E. 34 in. -

40.20 To a Post 10 links wide; Course E.

60.00 " " 10 in. - - - E.

80.00 Set a temporary post for the cor. to T. N<sup>o</sup> 8 & 9 N.  
N<sup>o</sup> 16 & 17. Good Sugar tree stands;

Established this cor. 100 links South of the temp<sup>y</sup>  
post; from which a Post with 12 in. dia. base  
N 34 E. 12 links dist; & Sugar 13 in. - -  
S 14 E. 37 in. -

North Boundary.

April 3. 1811 Then East from the temp<sup>y</sup> post  
cor. to T. N<sup>o</sup> 8 & 9 N.R. N<sup>o</sup> 12 W. between T. N<sup>o</sup> 8 & 9  
6 miles and from 4 ch. N. of the T. cor.

Corrected made on a Mer. the line N. between T. N<sup>o</sup>  
8 & 9 - N<sup>o</sup> 17.

West On the South Boundary of T. 36. T. N<sup>o</sup> 9 N.R. N<sup>o</sup> 17.

27.00 To a Post 10 links wide; Course N.E.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
N. Oak 30 in. dia. base N 50 W. 28 links dist; & a  
Post 12 in. - - - S 80 E. 19 in. -

80.00 Set a post for the cor. to Sec. 35. 036 T. N<sup>o</sup> 9 N.R.  
N<sup>o</sup> 17 from which a Post 18 in. dia. base S 70 W.  
24 links dist; & a Hickory 10 in. - - - N 50 E.  
7 in. - - - Lands cleared rich & Post timbered

West On the South Boundary of T. 35. T. N<sup>o</sup> 9 N.R. N<sup>o</sup> 17.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
a Sugar 14 in. dia. base S 69 E. 13 links dist; & a  
Do 11 in. - - - N 37 W. 21 in. -

77.50 To a Post 8 links wide; Course N.

T. N. 8 N. R. No. 177. 2<sup>nd</sup> Sec. (Ch. 12)

80.00 Set a post for the cor. to Sec. 34 & 35 T. N. 9 N.  
R. No. 177. from which a Buck 12 in. dia. bears  
S 38 N. 31 miles dist. & a Do 11 " "  
N 8 E 13 " "  
Lands with timber & so forth same as on the last mile

West On the South Boundary of Sec. 34 T. N. 9 N. R.  
No. 177.

40.00 Set a post for the cor. to Sec. 34 from which a  
Sycam 14 in. dia. bears N 66 N. 21 miles dist. & a  
Do 5 " " " S 40 E. 22 " "

71.00 To a Burr to 12 miles wide; Course N. W.

80.00 Set a post for the cor. to Sec. 33 & 34 T. N. 9 N.  
R. No. 177. from which a Buck 5 in. dia. bears  
N 39 N. 25 miles dist. under a Buck 16 in. "  
S 48 E. 35 " " Lands here as with  
timber Sycam & Oak;

West On the South Boundary of Sec. 33 T. N. 9 N. R. No. 177

40.00 Set a post for the cor. to Sec. 34 from which a  
Sycam 14 in. dia. bears N 69 E. 10 miles dist. & a  
Do 10 " " " S 65 N. 46 " "

54.00 To a locate 50 miles wide; Course South.

73.50 " " " 25 " " " S. E.

80.00 Set a post for the cor. to Sec. 32 & 33 T. N. 9 N.  
R. No. 177. from which a Buck 20 in. dia. bears  
N 22 E. 12 miles dist. and a Do 36 " "  
S 31 N. 36 " "

Lands with timber &c same as on the last mile.

West On the South Side of Sec. 32 T. N. 9 N. R. No. 177

40.00 Set a post for the cor. to Sec. 34 from which a  
Sycam 5 in. dia. bears S 60 E. 10 miles dist. & a  
Oak 14 " " " N 84 N. 18 " "

53.50 To a Burr to 20 in. dia. Course S. E.

80.00 Set a post for the cor. to Sec. 31 & 32 from



T. N. 8 N.R. N. 1 W. 3rd Mer. Ind.

Which a White 14 in. dia hard N 72 W. 20 the dia  
and a Buck 4 n n - S 60 E 19 n -  
First rate lands: Timber Sugar, Ash, Walnut;

West On the South Side of Sec 31. T. N. 9 N.R. N. 1 W.  
40.00 Set a post for the cor. to 74 sec. from which a  
Oak 16 in. dia hard S 70 E. 17 miles dist; & a  
Logwood 3 n - - - N 64 W 15 n -  
80.00 More to the Sump. Post 201 in. dia S. to the cor.  
for T. N. 8 W. 112 W. from which a  
Buck 13 in. dia hard S 26 E 18 miles dist; & a  
Oak 16 n n - - S 46 W 32 n -  
Good Oak Lands

West Boundary

North From the cor. to Sec 7. 8 N.R. N. 1 W.  
on the E. 3rd Mer. of Sec 36. T. N. 8 N.R. N. 2 W.  
15.00 To a brook 50 miles wide; hence S.E.  
40.00 Set a post for the cor. to 74 sec. from which a  
Buck 13 in. dia hard S 60 E. 17 miles dist; & a  
Do 15 n - - - N 40 W 15 n -  
55.50 To an Oak 16 in. dia hard in the line.  
80.00 Set a post for the cor. to the Sec. 25 & 36 T. N. 8 N.  
R. N. 2 W. from which a Logwood 14 in. dia  
hard S 60 E. 10 miles dist; & a Buck 18 n n -  
- S 15 W. 27 n - - Lands 1st rate; Timber  
Sugar Walnut Ash, &c

North On the East Boundary of Sec. 25. T. N. 8 N.R. N. 1 W.  
16.50 To a Brook 8 miles wide; hence East  
28.00 n n Buck 40 in. dia stands in the line.  
40.00 Set a post for the cor. to 74 sec from which a  
Sugar 13 in. dia hard S 34 E. 20 miles dist; & a  
Buck 8 n n - - N 65 W 26 n -  
44.00 To a Brook 60 the wide hence S.E.





T. No 8 N.R. No 177. 2<sup>nd</sup> Run.

- in air bears N 65 E 8 miles west, to Poplar 86  
 " " " N 54 W. 24 " "  
 80.00 Set a post for the cor. to Sec. 1 & 12 T. No 8. N.R.  
 No 2 W. from which a Logwoods 4 mi. air bears  
 S 60 W 7 miles west; to an N. Oak 30 " "  
 S 40 E. 5 " "  
 Good Oak, lands 80

- North On the East side of Sec 1 T. No 8 N.R. No 27  
 28.50 To a N. Oak 36 mi air stands on the line.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 N. Oak 10 in air bears S 56 W. 11 miles west, to  
 Poplar 40 " " " N 31 E. 7 " "  
 57.50 To an N. Oak 30 in air in the line.  
 81.00 Set a temporary post for the cor. to Town 8 & 9. N.  
 No. 10 2 W Good good lands. Timber Oak.

## Subdivisions

- North Western Sec. 35 & 36. T. No 8 N.R. No 177.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Buck 15 in. air bears N 30 E. 28 miles west; to  
 Do 15 " " " N 31 W. 32. " "  
 80.00 Set a post for the cor. to Sec. 25, 26, 35 & 36.  
 from which a Maple 10 in. air, bears N 16 W 3  
 miles west; to Buck 3 " " " S 52 W 4  
 " "  
 Sand hilly, thin soil; Timber Oak, & Hickory

- East On a Meridian line between Sec. 25 & 36.  
 40.00 Set a temporary post for the cor. to 1/4 sec.  
 49.00 To a Buck 25 miles west; Corner South.  
 80.00 Introduced the N & S line 10 miles N. of the post  
 for the cor. to Sec. 25 & 36.  
 Sand and timber same as in the last mile.







T. No. 8 N.W. No. 177. 2<sup>nd</sup> Mer. (Ind.)

West True line between Sec. 12 &amp; 13.

3978 ft. Set  $\frac{1}{4}$  sec post at the aver. creek on true line

from which a Buck 12 N56E.8

Co 12 N65W27

79.37 Sec. Cor.

North Between Sec. 11. &amp; 12

38.00 Spring. N.W.

40.00 Set a  $\frac{1}{4}$  sec post from which a

Buck 20 mi. line N27W.24

Sagm 10 " " N54W26

80.00 Set a post for cor. to Sec. 1, 2, 11, 12 from which

a Buck 4 N35E.4

Co 5 N30W11

Sands Prairie

East Warm arm between 1812

40.00 Set temp.  $\frac{1}{4}$  post

78.70 Inter section the NPS line 44 links South of the

Sec. Cor.

Sands Prairie

West On a true line between 1812

39.35 Set  $\frac{1}{4}$  sec post at aver. creek; on the true line

from which a Buck 5 N76E7

Co 6 S76W20

78.70 Sec. Cor.

North Between 1812

40.00 Set  $\frac{1}{4}$  sec post from which a

Ironwood 3 mi. line N40E.15

Sagm 7 " " N14W26

77.34 Set a post on the N.B. boundary 170 links E.

of Sec. cor. from which a

Sagm 25 N36W.13

Buck 14 N45W5

Sands the Prairie

T. No 8 N.R. No 17. 2<sup>nd</sup> Div. (Ind.?)

- North Between Sec. 34 & 35 T. No 8 N.R. No 17.  
 17.00 To a Brook 12 miles wide; lower E.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which is  
 Buck 8 mi. in line N 13 E. 13 miles dist; & is  
 No 18 " " " S 23 W. 30 " "  
 80.00 Set a post for the cor. to Sec. 26, 27, 34 & 35 from which  
 an Oak 6 mi. in line East 15 miles dist; & is  
 No 8 " " " N 59 E. 19 " "  
 Same line timber & is same as the last mile.

- East On a Random line between Sec. 26 & 35 T. 8 N.R. 17.  
 1.00 To a Brook 10 miles wide; lower E.W.  
 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.  
 79.80 Intersect the N & S line 10 miles S of the cor. for  
 Sec. 25, 26, 35 & 36. Same line timber & is same

- West On a true line between Sec. 26 & 35 T. 8 N.R. No 17.  
 39.90 Set the temporary post for the cor. to  $\frac{1}{4}$  sec. at the  
 cor. on the true line. from which is  
 Sugar 10 mi. in line S 68 W. 17 miles dist; & is  
 Buck 17 " " " S 37 E. 12 " "  
 79.80 To the post for the cor. to Sec. 26, 27, 34 & 35

- North Between Sec. 26 & 27 T. No 8 N.R. No 17.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which is  
 Sugar 10 mi. in line S 4 E. 20 miles dist; & is  
 Buck 12 " " " N 31 W. 5 " "  
 80.00 Set a post for the cor. to Sec. 22, 23, 26, 27. from  
 which is Hick 18 mi. in line S 35 E. 15 miles dist;  
 under a Dogwood 5 " " " N 82 W. 4 " "  
 Same line as on the last mile.

- East Between Sec. 23 & 26 on Random T. No 8 N.R. 17.  
 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.  
 79.75 Intersect the N & S line 47 miles S of cor. to Sec.  
 23, 24, 25, & 26. Same the same

## T. N. 8 N.R. N. 17. 2nd Mer. (Ind.)

West Between Sec. 23 & 26 On a true line: T. N. 8 N.R. N. 17.  
 39.87½ Set the timber post at the aver. dist. on the true  
 line for the cor. to ¼ sec. from which a  
 Sugar 8 in. dia beam S 27 W. 24 miles dist; 1 a  
 110 10 a n n N 22 W 20 a n  
 79.75 To the post set for the cor. 22, 23, 26, 27.

---

North Between Sec. 22, & 23 T. N. 8 N.R. N. 17.  
 40.00 Set a post for the cor. to ¼ sec. from which a  
 Buck 10 in. dia beam S 37 E. 6 miles dist; 1 a  
 N 18 a n n S 12 W. 15 a n  
 80.00 Set a post for the cor. of sec. 14, 15, 23, & 29  
 from which a Buck 6 in. dia beam N 82 E. 10 miles  
 dist; 1 a Sugar 18 a n n S 11 W. 30 a n  
 a Same same as the last one.

---

East On a true line between Sec. 14 & 23 T. N. 8 N.R. N. 17.  
 40.00 Set a timber post for the cor. to ¼ sec.  
 79.80 Introduced N & S line 12 miles N of the post set  
 for the cor. to sec. 13, 14, 23, 24.  
 Same line timber & same as the last one.

---

West Between Sec. 14 & 23 On a true line T. N. 8 N.R. N. 17.  
 39.90 Set the timber post at the aver. dist. on the true line  
 for the cor. to ¼ sec. from which a  
 Buck 6 in. dia beam S 87 E. 7 miles dist; 1 a  
 Gum 20 a n n N 87 W 24 a n  
 79.80 To the cor. of sec. 14, 15, 23, & 23.

---

North Between Sec. 14 & 15 T. N. 8 N.R. N. 17.  
 10.00 To a B. root 8 miles dist; Corner West.  
 31.50 a n n 12 a n n  
 40.70 Set a post for the cor. to ¼ sec. from which a  
 Sugar 8 in. dia beam S 34 E. 16 miles dist; 1 a  
 110 10 a n n N 46 W. 6 a n  
 80.00 Set a post for the cor. to sec. 10, 11, 14, & 15

T. No 8 N.R. No 1<sup>st</sup> T. Ind. Terr. (Ind. T.)

From which a Sugar 8 in. dia beam N 84 W 11 the  
dish; under a log? 6 in a ~ N 61 E. 15 ~  
~ Sando the same as on the last mile.

East Chalkman line between Sect 11. & 14 T. 8 N. R. 1 W.  
33.50 To a Brook 10 Mils dish; Course S W.  
40.00 Set a temp. post for the cor. to 1/4 sec.  
79.80 Intersected the N. & S. line 58 miles N. of the cor.  
Sando same as on the last mile.

West T. between Sect 11. & 14 on the true line T. 8 N. R. 1 W.  
39.90 Set a post at the cor. between the true line for the  
cor. to 1/4 sec. From which a Buck 10 in. dia beam  
S 64 E. 20 miles dish; & a Do 8 ~ ~ ~  
S 42 W. 22 ~ ~ ~  
79.80 To the cor. of sect. 10. 11. 14. 15.

N. W. T. between Sect 10. & 11 T. No 8 N. R. No 1 W.  
33.00 To a Brook 18 miles dish; Course W.  
40.00 Set a post for the cor. to 1/4 sec. From which a  
Sugar 8 in. dia beam S 50 E. 21 miles dish; & a  
Cannon 5 ~ ~ ~ N 30 E. 5 ~ ~ ~  
42.00 To a Brook 20 miles dish; Course S. E.  
51.00 ~ ~ ~ Do ~ ~ ~ ~ ~ ~ ~ ~ ~  
58.00 ~ ~ ~ Do ~ ~ ~ ~ ~ ~ ~ ~ ~  
62.00 To a Brook 10 miles dish; Course S. E.  
80.00 Set a post for the cor. to sect. 2, 3, 10 & 11. From which  
a Buck 6 in. dia beam S 14 E. 11 miles dish; & a  
Do 6 ~ ~ ~ N 61 W 14 ~ ~ ~  
Sando same as on the last mile.

East Chalkman line between Sect 2. & 11 T. 8 N. R. No 1 W.  
3.00 To a Brook 18 miles dish; Course S W.  
12.00 ~ ~ ~ Do 10 ~ ~ ~ ~ ~ ~ ~ ~ ~  
40.00 Set a temp. post for the cor. to 1/4 sec.  
80.12 Intersected the N. & S. line 20 miles South of the



T. No. 8 N.R. No. 1 E. 2<sup>nd</sup> Mer. Sec. 2

Just set for the cor. to Sec. 1, 2, 11, 12.

Land to be same as on the last mile.

West On the true line between Sec. 2 & 11. T. No. 8 N.R. No. 1 E.

40.00 Set the temporary post at the corner. dist. in the true line for the cor. to 1/4 sec. from which a

Yucca 12 in. dia. bears N 45 W. 6 links dist; & a

do 10 " " " " N 9 W. 13 " " "

56.12 To the post set for the cor. to Sec. 2, 3, 10, & 11

North Between Sec. 2 & 3. T. No. 8 N.R. No. 1 E.

40.00 Set a post for cor. to 1/4 sec. from which a

Yucca 18 in. dia. bears N 18 W. 9 links dist; & a

do 8 " " " " N 29 E. 15 " " "

75.80 Set a post on the N. 73° middle (309 links E. of the cor. to Sec. 34, 35 T. No. 9 N.R. No. 1 E.) from which a Sugar 12 in. dia. bears N 60 E. 17 links dist; & a

do 10 " " " " N 80 W. 27 "

Land for timber & c same as on the last mile.

North Between Sec. 33, 34 T. No. 8 N.R. No. 1 E.

40.00 Set a post for the cor. to 1/4 sec. from which a

Wick 12 in. dia. bears S 34 W. 22 links dist; & a

Poplar 4 " " " " N 80 W. 9 " " "

80.00 Set a post for the cor. to Sec. 27, 28, 33, 34

from which a Yucca 8 in. dia. bears N 81 E. 26 links dist; & a

do 8 " " " " N 72 W. 14 " " "

Land rolling; timber, Walnut, Sugar, Yucca, Oak & Wick

East On a Random line between Sec. 27, 34 T. No. 8 N.R. No. 1 E.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.00 Intersection the N. & S. line at the post set for the cor. to Sec. 26, 27, 34, & 35

Land for timber & c same as on the last mile

## T. N. 8 N. R. N. 1 W. 2nd Mer. (Ind.)

West On the true line between Sec. 27 & 34 T. 8 N. R. 1 W.  
 40.00 Set the temporary post at the aver. dist. on the true line  
 for the cor. to  $\frac{1}{4}$  sec. from which a  
 Buck 29 in. dia bears S 8 E 28 miles dist. & a  
 Sugar 8 " " " S 8 W 24 " "  
 80.00 To the cor. of sec. 27, 28, 33 & 34.

---

North Between Sec. 27 & 28 T. N. 8 N. R. N. 1 W.  
 26.00 To a Spring: W.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Sugar 5 in. dia bears S 27 W 18 miles dist. and a  
 Buck 4 " " " N 36 E 22 " "  
 80.00 Set a post for the cor. to sec. 21, 22, 27 & 28. from  
 which a Buck 5 in. dia bears N 26 W 6 like dist.  
 and a No 10 " " " S 27 E 26 " "  
 Sande soil timber &c same as on the line

---

East On a Random line between Sec. 22, 127 T. N. 8 N. R.  
 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.  
 80.12 Then set the N & S line 10 miles South of the post  
 set for the cor. to sec. 22, 23, 26, & 27  
 Sande timber &c same as on the last mile.

---

West On a true line between Sec. 22, 127 T. 8 N. R. N. 1 W.  
 40.06 Set the temporary post at the aver. dist. on the true  
 line for the cor. to  $\frac{1}{4}$  sec. from which a  
 Oak 30 in. dia bears N 35 E 30 miles dist. & a  
 Ash 15 " " " S 12 E 30 " "  
 80.10 To the cor. 21, 22, 27 & 28.

---

North Between Sec. 21 & 22 T. N. 8 N. R. N. 1 W.  
 30.00 To a Brook 15 like miles; course S. W.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Sugar 12 in. dia bears S 62 W 13 like dist. & a  
 Buckeye 10 " " " N 57 W 25 " "  
 61.00 To a Brook 6 like miles; course E.

T. N. 8 N. R. N. 17. 2<sup>nd</sup> Mer. (Ind.?)

80.00 Set a post for the cor to Sect. 15, 16, 21, & 22  
from which a 9 inch 20 in dia bore N 15 E. 5  
miles ash; & a 100 20 in ~ ~ ~ N 15 E 30  
~ ~ ~ Sand a little nodding under ash; Timber  
Poplar, ash, Elm & Gum

East On a Random line between Sect. 15 & 22 T. N. 8 N. R. 17.

7.00 To a Brook 6 miles wide; Course S.

16.00 ~ ~ ~ 30 ~ ~ ~ ~ ~

40.00 Set a temporary post for the cor to 1/4 sec.

80.00 Intersect the N & S line 10 miles S. of the post  
set for the cor. 14, 15, 22, 23

Sand soil timber &c same as the last mile.

West On the true line between Sect. 15 & 22 T. N. 8 N. R. 17.

40.00 Set the temporary post at the aver. ash; on the true line  
for the cor. to 1/4 sec. From which a Sugar 9 in. dia  
bore N 76 W. 10 miles ash; & a No. 8 ~ ~ ~

~ ~ ~ N 15 E. 7 ~ ~ ~

80.00 To the post set for the cor to Sect. 15, 16, 21, & 22

North Between Sect. 15 & 16 T. N. 8 N. R. N. 17.

40.00 Set a post for the cor to 1/4 sec. From which a  
Buck 10 in. dia bore N 27 W. 19 miles ash; & a  
No. 10 ~ ~ ~ ~ ~ N 60 E. 30 ~ ~ ~

63.00 To a Buck 12 in. dia in the line.

80.00 Set a post for the cor to Sect. 9, 10, 15, 16, from  
which a Buck 8 in. dia bore N 60 W. 15 miles ash  
and a No. 18 ~ ~ ~ ~ ~ N 57 E. 17 ~ ~ ~  
Sand soil timber &c same as on the last mile

East On a Random line between Sect. 10 & 15 T. N. 8 N. R. 17.

35.00 To a Brook 7 miles wide; Course S.E.

40.00 Set a temporary post for the cor. to 1/4 sec.

41.50 To a Brook 10 miles wide; Course S.

79.76 Intersect the N & S line 11 miles N of cor to Sect.

T. No 8 N.R. No 1 N. Quad Ten. (Ind. a.)

10. 11. 14. 15 Same as on the last mile

West On a true line between Sec. 10 & 15 T. No 8 N.R. No 1 N.  
39.88 Set a temporary post at the av. dist. on the true line  
for the cor. to 1/4 sec. from which a  
Buck 10 in. dia beam S 77° 15' N. 15' W. dist. 10  
Sugar 4 in. dia beam N 31° E. 15' W. dist. 10  
79.76 To the cor. of sec. 9. 10. 15. & 16.

North Between Sec. 9 & 10. T. No 8 N.R. No 1 N.  
40.00 Set a post for the cor. to 1/4 sec. from which a  
Buck 8 in. dia beam S 48° 15' W. 15' N. dist. 10  
Sugar 8 in. dia beam N 9° E. 15' W. dist. 10  
54.50 To a Buck 18 in. dia stands in the river  
80.00 Set a post for the cor. to sec. 3. 4. 9. 10 from which  
a Buck 8 in. dia beam N 52° E. 7' W. dist. 10  
Do 5 in. dia beam S 20° W. 21' N. dist. 10  
Same timber soil &c same as on the last mile

East On a random line between Sec. 3 & 10. T. No 8 N.R. No 1 N.  
40.00 Set a temporary post for the cor. to 1/4 sec.  
58.00 To a Buck 10 in. dia beam; Course South.  
79.66 Intersection the N.P.S. line 22 miles North of the  
post set for the cor. to sec. 2, 3, 10, 11.  
Same soil timber &c same as on the last mile.

West On a true line between Sec. 3 & 10 T. No 8 N.R. No 1 N.  
39.83 Set the temporary post at the av. dist. on the true line  
for the cor. to 1/4 sec. from which a Buck 4 in. dia  
beam S 66° E. 34' W. dist. 10 and a Do 6 in. dia  
beam S 18° W. 32' N. dist. 10  
79.66 To the cor.

North. Between Sec. 3 & 4 T. No 8 N.R. No 1 N.  
40.00 Set the post for the cor. to 1/4 sec from which a  
Poplar 6 in. dia beam S 5° E. 7' W. dist. 10 and a



## T. No 8 N.R. No 177. 2nd Mer. (Sud.)

- Back 4 mi. via head S 77 E. 11 miles creek;  
 48.50 To a Mark 30 mi. via stands in the line  
 74.50 Set a post in the N. 7 Ponds (4 3/4 miles East of  
 the first for cor. to sec. 33, 34 T. No 9. N.R. 177)  
 from which a Back 30 mi. via head N 20 W. 28  
 miles dist; to a Do. 15 a - - N 30 E. 26  
 a - - Lands old timber &c same

- North Titwan Sec. 32, 33. T. No 8 N.R. No 177.  
 17.50 To a Spring. Course N.  
 40.00 Set a post for the cor. to 74 sec. from which an  
 Elm 12 mi. via stands for the cor.  
 57.50 To a Spring Brooks 6 miles Course N.  
 80.00 Set a post for the cor. to sec. 28, 29, 32, 33 from  
 which a Sugar 12 mi. via head S 88 E 32 the dist;  
 and an Elm 18 a - - S 55 W. 14 a -  
 Lands the same as the last mile.

- East Titwan Sec. 28 & 33. On a Random line T. No 8  
 N.R. No 177.  
 20.00 To a Brook 4 miles wide; Course N.  
 40.00 Set a temporary post for the cor. to 74 sec.  
 70.50 To a Brook 10 miles wide; Course N.  
 80.00 Intersected the N. & S. line 28 miles North of the first  
 set for the cor. to sec. 27, 28, 33, & 34.

- West On a true line between Sec. 28 & 33. T. No 8 N.R. No 177.  
 40.00 Set the temporary post at the aver. dist. on the true line  
 for the cor. to 74 sec. from which a W. Oak 8 mi. via  
 head N 82 E. 22 miles dist; to a Back 8 a -  
 a - - N 53 E. 12 a - -  
 80.00 To the post for cor. to sec. 28, 29, 32 & 33.

- North Titwan Sec. 28 & 29 T. No 8 N.R. No 177.  
 7.50 To a Brook 12 miles wide; Course S. W.  
 40.00 Set a post for the cor. to 74 sec. from which an

T. N. 8. N. R. N. 1 W. 2nd Mer. (Ind.)

Back 4 in. via band 410 ft. 3 linked with; and a  
 Elm 8 n n n N 39 E. 23 n n  
 50.00 To a Brook 25 linked with; Crossed S. W.  
 54.00 n n n 25 n n n S. E.  
 80.00 Set a post for the cor. of sec. 20, 21, 28, & 29. From  
 which a 72 Walnut 15 in. via band S 9 E 6. Merist  
 and a Sugar 9 n n n N 50 W 11 n n  
 Same same as in the last mile.

East Between Sec. 20 & 21 On a Random line T. N. 8. N. R. N. 1 W.  
 40.00 Set a temporary post for the cor. to 1/4 sec.  
 49.50 To a Brook 25 linked with; Crossed S. W.  
 1/4.50 n n n 10 n n n S. W.  
 79.90 Intersection the N. P. S. line 10 linked S. of the post  
 for the cor. of sec. 21, 22, 27, & 28.  
 Same the same as in the last mile;

West On a true line between Sec. 21 & 28 T. 8. N. R. N. 1 W.  
 39.95 Set the temporary post at the aver. dist; on the true line  
 for the cor. to 1/4 sec. From which a  
 77 Oak 30 in. via band N 20 E 10 linked with; & a  
 Buck 35 n n n S 47 E. 25 n n  
 79.90 To the cor. of sec. 20, 21, 28 & 29

North Between Sec. 20 & 21 T. N. 8. N. R. N. 1 W.  
 40.00 Set a post for the cor. to 1/4 sec. From which a  
 Buck 8 in. via band N 87 W. 11 linked with; & a  
 Do 5 n n n S 26 E. 17 n n  
 80.00 Set the post for the cor. to sec. 16, 17, 20, & 21  
 From which a Sugar 20 in. via band S 45 E 27  
 linked with; and Do 18 n n n N 41 W 21  
 n n Same same as in the last mile;

East On a Random line between Sec. 16 & 21 T. 8. N. R. N. 1 W.  
 40.00. Set the temporary post for the cor. to 1/4 sec.  
 80.00. Intersection the N. P. S. line <sup>12 linked south of the post set</sup> for the cor. to 1/4 sec.



T. N. 8 N. R. No 177. Good River (S. a. a.)

- Auger 18 in. dia bore N 75 E 11 inches dist; 10  
 Lg 15 " " " S 11 N. 47 " "  
 64.50 To a Auger 15 in dia in the time.  
 66.00 To a Brook 11 Mts S. E.  
 80.00 Got a post for the cor. to Sec. 4, 5, 8, 9. from which  
 Auger 30 in dia bore S 47 N. 25 inches dist; 10  
 Lg 15 " " " S 58 N. 31 " "  
 Sands &c same as on the last mile;

- East On a Random line between Sec. 4 & 9  
 2.50 To a Brook 10 inches wide; S. South.  
 41.00 Got a timber post for the cor. to 1/4 Sec  
 49.58 Intersected the N. & S. line 12 miles E of the first post  
 for the cor. to Sec. 3, 4, 9, 10.  
 Sands, Soil, timber, &c same as on the last mile.

- West On a true line between Sec. 4 & 9.  
 39.79 Got the timber post at the cor. East on the true line  
 for the cor. to 1/4 Sec. from which a  
 Buck 3 in. dia bore N 55 W. 8 inches dist; 10  
 Lg 30 " " " S 42 N. 13 " "  
 49.58 To the first post for the cor. to Sec. 4, 5, 8, 9

- North On Between Sec. 4 & 5  
 41.00 Got a post for the cor. to 1/4 Sec from which a  
 Auger 10 in. dia bore S 53 E 17 inches dist; 10  
 Buck 36 " " " West 17 " "  
 57.50 To a Well 24 in dia in the time  
 75.80 Intersected the N. & S. boundary 261 miles East of the  
 cor. for 32, 33. T. N. 9 N. R. No 177. & got a post  
 for cor. to Sec. 4 & 5 from which a  
 Auger 10 in dia bore S 10 N. 10 inches dist; 10  
 Lg 5 " " " N 33 N. 8 " "  
 Sands Soil timber &c same as on the last mile

North Between Sec. 31 & 32



*L. N. 8 M. N. 177. 2<sup>da</sup> Rev. Ind.ª*

40.00 Cut a post for the cor. to Jew. from which a  
Sugm 8 mi. via base N 39 E. 21 miles out to a

Dec 12<sup>th</sup> " " 1857 N. Y. a

445.00 Tea Brush 4. Mikomide; Course W.

$\frac{7}{5} \cdot 00$      $a_1$      $-$      $a_2$      $a_3$      $D.M.$

80.00 Set apart for the carts nos. 29, 30, 31 & 32  
from which are

Innurook G. 8757.14

Edna, 6 1476 W 29

Sends the Memo

Cast On at Random time between Dec. 29, 1832

.50 Sea Brook 75 lbs. G. Smith.

4.57    a    a    a    10 a    a    N.N.

4000 Got a temp. post for the car. @ 14 sec.

67.58 To Spring; Currier St.

80.00 Intercepted the NPS, line 36 strike North of the  
Post, for cor to sec. 28, 29, 32, & 33.

Sands same as on the last mile

West On the true line between Dec 29. 1832

4070. Get the temporary post at the adv. Nick; on the town  
line for the car to pass. From orbit  $\omega$  —

8 m. dia. base 570 E 28 m. dia. neck 10 —

10 n. a. a. 21077. 22 n. a.

80.00 Geo. Corner

Auth Petran Ser. 29 130

27.58 To Spring Brook; Anne E.

40.00 Sugar 12 in. dia. barrel \$237.37 United Distillers

John Doe - ME. 59 -

46.50 To Spring brook 4 m. wide; Course E.

80.00 Net a part for the car. to det. 19, 20, 29 + 30

from which a Sugar 8 mi. air base 445 E. 43 Mo  
 Neb; to Quincy 15 n n n 221 W. 54 n

## T. N. &amp; H. N. No 177. 2nd Mer. (Ind. 2)

dist ant; Land the same as on the last mile.

East On a Random line between Sep. 20 & 29

40.00 Set a trap for the cor. to 1/4 Sec

54.50 To a Brook 30 miles wide; Corner S. W.

78.62 Intersected the N & S line at Sec. cor.  
Land the same as on the line.

West On the true line between Sep. 20 & 29

39.31 Set the trap for the cor. at the aver. dist; on the true  
line for the cor. to 1/4 Sec. from which a

Beak 15 in dia bears N 67 E 10 miles dist; & a

Shym 5 " " " N 63 W 22 " "

78.62 Sec. corner

North Between Sep. 19 & 20

40.00 Set a post for the cor. to 1/4 Sec. from which a

Shym 10 in dia bears N 45 W. 8 miles dist; & a

Beak 15 " " " N 44 E 28 " "

80.00 Set a post for the cor. to Sep. 17, 18, 19, 20.

from which a Beak 12 in dia bears N 49 W 46.

" " " " " N 43 E 25

Land the same as on the last mile.

East Between Sep. 17 & 20 On a Random

1.00 To a Brook 12 miles wide; Corner S.

40.00 Set trap for the cor. to 1/4 Sec.

72.00 To a Brook 20 miles wide; Corner S. W.

78.40 Intersected the N & S line 12 miles N of the cor.  
Land the same

West On a true line between Sep. 17 & 20

39.20 Set the trap for the cor. at the aver. dist. on the true  
line for the cor. to 1/4 Sec. from which a

Beak 30 in dia bears N 47 E 18 miles dist; & a

Shym " " " N 39 W 19 " "

T. N. 8 N. R. N. 1 W. 2<sup>nd</sup> Mer. (Ind. 2)

78.40 To the first set for the cor. to sec. 17, 18, 19 &amp; 20

North Between Sec. 17 &amp; 18 T. N. 8 N. R. 1 W.

10.00 To a Barok 12 links wide Corner S. W.

40.00 Set a post for the cor. to 1/4 sec. from which a  
Sugar 15 in. dia bears N 57 E. 11 links dist; & a  
Buck 8 " " " S 83 W 29 " "80.00 Set a post for the cor. to sec. 7, 8, 17, 18. T. N. 8  
N. R. N. 1 W. from which a

Sugar 8 in dia bears N 49 W. 4 links dist; &amp; a

Ho 4 " " " N 47 E. 18 " "

Sands, soil timber &amp; so forth same as on the last mile;

East On a Random line between Sec. 5 &amp; 8. T. 8 N. R. 1 W.

40.00 Set a temporary post for the cor. to 1/4 sec

79.71 Intersected the N. & S. line 65 links N. of sec. cor for  
4, 5, 8, 9.

West On a true line between Sec. 5 &amp; 8. T. N. 8 N. R. 1 W.

39.85 1/2 Set the temporary post at the corner dist; on the true  
line for the cor. to 1/4 sec. from which a

Sugar 15 in. dia bears N 24 W. 17 links dist; &amp; a

W. Walnut 30 " " " S. 2 E. 46 " "

79.71 To the first set for the cor. to sec. 5, 6, 7, 8.

North Between Sec. 5 &amp; 6 T. N. 8 N. R. N. 1 W.

40.00 Set the post for the cor. to 1/4 sec. from which a  
Gum 5 in. dia bears S 5 W. 15 like dist; and a

Ho 12 " " " S 68 W. 13 " "

73.56 Intersected the N. Boundary 280 links E. of the  
cor for sec. 31, 32 T. N. 9 N. R. N. 1 W. from which

Sugar 12 in. dia bears S 85 W. 10 links dist; &amp; a

Buck 5 " " " N 72 E. 13 " "

Sands, soil, timber same as on the last mile;

West Between Sec. 6 &amp; 7 T. N. 1 W.

East On a Random line between Sec. 8 & 17 T. N. 8. R. 17 W  
 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.  
 79.30 Intersected the N. 1/2 line 36 miles South of the post  
 Set for the cor. to Sec. 8. 9. 16. & 17  
 Same soil and timber same as on the last mile;

---

West On the true line between Sec. 8 & 17 T. N. 8. R. 17 W  
 39.65 Set the temporary post at the av. dist on the true line  
 for the cor. to  $\frac{1}{4}$  sec. from which a  
 Sugar 8 in. dia. trees S 76 W. 14 miles dist; & a  
 Do. 5 " " " N 84 E. 18 " "  
 79.30 To the post set for the cor. to Sec. 7. 8. 17. 18.

---

North Between Sec. 7 & 8. T. N. 8. R. 17 W  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 W. Oak 18 in. dia. trees S 19 W. 16 miles dist;  
 W Oak 24 " " " N 42 W. 11 " "  
 74.50 To a Brook 20. miles wide; Course East  
 80.00 Set a post for the cor. to Sec. 5. 6. 7. & 8 from which  
 a Sugar 12 in. dia. trees N 68 W. 25 miles dist; & a  
 Do. 8 " " " S 70 E. 10 " "  
 Same soil and timber same as in the last mile.

---



T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W. 2<sup>nd</sup> Mer. (Qua<sup>a</sup>)

- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Sugar 8 in. dia bears S 13 E. 21 links dist; & a  
Buck 18 " " " N 61 W 40 " "
- 64.00 To a Brook 10  $\frac{1}{2}$  m. side; corner S.E.
- 81.70 Intersected the W. Boundary 26. links N. of the cor. to  
Sec. 1 & 12 T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 2 W. & set a post for  
the cor. to Sec. 6 & 7. from which a  
Hick 10 in. dia bears S 9 W. 17 links dist; & a  
Logwood 3 " " " N 55 E 12 " "  
Sands soil and timber same as on the last mile

West On a true line between Sec. 7 & 18 T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W.

- 30.00 To a Brook 15 links side; corner S.
- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Sugar 10 in. dia. bears S 11 E. 16 links dist; & a  
Hick 10 " " " N 54 W 35 " "
- 70.00 To a W. Oak; 15 in. dia. Stand in the line.
- 81.97 Intersected the W. Boundary of T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W  
196 links South of the post set for the cor. to Sec.  
12 & 13. T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 2 W. & set a post from  
which a Sugar 15 in. dia bears S 5 E. 6 links dist; &  
a Logwood 2 " " " N 1 W. 5 " "  
Sands the same as in the last mile.

West On the true line between Sec. 18 & 19. T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W.

- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Buck 15 in dia bears. N 54 W. 11 links dist;  
& a Ho 8 " " " S 24 E 18 " "
- 83.40 Intersected the West. Boundary of T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W  
at the post set for the cor. to Sec. 13 & 24 T.  
N<sup>o</sup> 8 N. R. N<sup>o</sup> 2 W.

West On a true line between Sec. 19 & 30. T. N<sup>o</sup>

- 40.00 Set a post for the cor. to Sec. from which a  
Buck 18 in. dia. bears East 12 links dist; & a

T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W. 2<sup>nd</sup> Mer. (Ind<sup>y</sup>)

W. Oak 18 in. dia bears N 48 W. 10 links dist; ~~to~~  
 84.00 Intersected the N. 1 Boundary of T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W.  
 42 lks South of the first set for the cor. to Sec.  
 24 & 25 T. 8 N. R. 2 W. and set a post for the  
 cor. to Sec. 19 & 30 T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 2 W. from  
 which a Sugar 10 in. dia bears N 32 W. 3 lks dist;  
 and a Do 8 " " " S 7 W. 20 " "  
 Sand forms as in the last mile;

West On a true line between Sec. 30 & 31.

40.00 Set a post for the cor. to 1/4 sec from which  
 a Sugar 10 in dia bears S 83 E. 9 links dist  
 & a Buck 10 " " " N 83 W. 14 " "

41.00 To a Brook. (Spring) Corner S.

49.00 To a Brook 20 in. dia. Corner S. E.

83.00 Intersected the N. 1 Boundary of T. N<sup>o</sup> 8 N. R. N<sup>o</sup>  
 1 W. 2<sup>nd</sup> Mer. 31 links S. of the post the post  
 set for the cor. to Sec. 25 & 36 T. N<sup>o</sup> 8 N. R. N<sup>o</sup>  
 2 W. & set a post for the cor. to Sec. 30 & 31. T.  
 N<sup>o</sup> 8 N. R. N<sup>o</sup> 2 W. from which a  
 Buck 10 in. dia bears N 68 E. 11 links dist; & a  
 Do 8 " " " N 6 E. 15 " "  
 Sand soil timber &c same as in the last mile.

Surveyed by  
 Arthur Henrich A.S.

I certify that the foregoing transcript of the field notes  
 of Township N<sup>o</sup> 8 North of Range N<sup>o</sup> 1 West of the 2<sup>nd</sup>  
 Mer. Indiana has been compared with the Original  
 notes in this Office and found to be correct.

Surveyor General's Office,

Cincinnati Nov. 14. 1839

E. S. Leary  
 Secy. Genl.